



BRAZILIAN SLATE

STONE TALES

COMPACT

COLLECTION CATALOGUE

unicomstarker®

STONE TALES

BRAZILIAN SLATE



unicomstarker®

Design italiano, superfici internazionali.
Brazilian Slate è la nuova collezione di
UNICOMSTARKER nata dalla ricerca delle
più belle ardesie del sud America.

*Italian design, international surfaces.
Brazilian Slate is the new collection of UNICOMSTARKER born
from the research of most beautiful slates of South America.*



unicomstarker®

4

UNICOMSTARKER
STONE TALES



○

BRAZILIAN SLATE OXFORD WHITE MOSAICO
30 x 30 - 12" x 12"

BRAZILIAN SLATE OXFORD WHITE
80 x 80 - 32" x 32"

5

BRAZILIAN SLATE



○

BRAZILIAN SLATE STORM BEIGE
60 x 120 - 24" x 48"



8

UNICOMSTARKER
STONETALES




○

BRAZILIAN SLATE PENCIL GREY
7.4 × 30 - 3" × 12"

9

BRAZILIAN SLATE



○

BRAZILIAN SLATE RAIL BLACK
30 × 60 - 12" × 24"

BRAZILIAN SLATE



USI - USE

Interni residenziali - *Residential interiors*
 Bagni - *Bathrooms*
 Locali commerciali - *Commercial premises*
 Spazi pubblici - *Public spaces*

COLORI - COLOURS

Oxford White

Storm Beige



Silk Grey



Elephant Grey



Pencil Grey



Rail Black


FORMATI - SIZES




60x120
24"x48"



60x120
24"x48"



80x80
32"x32"



60x60
24"x24"




30x60
12"x24"



15x60
6"x24"



7.4x30
3"x12"



12x53
4_{23/32}"x21"





BRAZILIAN SLATE OXFORD WHITE

60 x 120 - 24" x 48"

BRAZILIAN SLATE SILK GREY

60 x 120 - 24" x 48"

14

UNICOMSTARKER
STONE TALES



○ **BRAZILIAN SLATE** STORM BEIGE
15 x 60 - 6" x 24"

15

BRAZILIAN SLATE



○ **BRAZILIAN SLATE** STORM BEIGE
60 x 120 - 24" x 48"





BRAZILIAN SLATE SILK GREY HEXAGON

25 x 34 - 10" x 13"

BRAZILIAN SLATE SILK GREY

80 x 80 - 32" x 32"



BRAZILIAN SLATE SILK GREY HEXAGON

25 x 34 - 10" x 13"

BRAZILIAN SLATE SILK GREY

80 x 80 - 32" x 32"



BRAZILIAN SLATE SILK GREY HEXAGON

25 x 34 - 10" x 13"

BRAZILIAN SLATE SILK GREY

80 x 80 - 32" x 32"





○ **BRAZILIAN SLATE** ELEPHANT GREY
60 x 60 - 24" x 24" / 60 x 120 - 24" x 48"



○ **BRAZILIAN SLATE** ELEPHANT GREY
7.4 x 30 - 3" x 12"





WOODEN BIRCH

30 x 119,5 - 12" x 48"

BRAZILIAN SLATE PENCIL GREY

60 x 120 - 24" x 48"

MAREIA
LOUNGE BAR





34

UNICOMSTARKER
STONE TALES



BRAZILIAN SLATE PENCIL GREY
60 x 60 - 24" x 24" / 30 x 60 - 12" x 24"

35

BRAZILIAN SLATE



BRAZILIAN SLATE PENCIL GREY
60 x 60 - 24" x 24" / 30 x 60 - 12" x 24"



O

BRAZILIAN SLATE SILK GREY PLANK

30 x 60 - 12" x 24"

BRAZILIAN SLATE SILK GREY

60 x 120 - 24" x 48"

BRAZILIAN SLATE RAIL BLACK

60 x 120 - 24" x 48"





○ **BRAZILIAN SLATE RAIL BLACK**
60 x 120 - 24" x 48"



○ **BRAZILIAN SLATE RAIL BLACK CHEVRON DX/SX**
12 x 53 - 4²³/₃₂" x 21"

40

UNICOMSTARKER
STONE TALES

41

BRAZILIAN SLATE

unicomstarker®
TECHNICAL DATA


○

BRAZILIAN SLATE OXFORD WHITE


60 × 60 - 24" × 24"

30 × 60 - 12" × 24"

Oxford White




MOSAICO



PLANK




HEXAGON



CHEVRON DX / SX

Storm Beige




MOSAICO



PLANK




HEXAGON




CHEVRON DX / SX


Silk Grey





Elephant Grey



Pencil Grey







Rail Black



TECHNICAL INFORMATION & PLUS

FORMATI - SIZES





					
RETTIFICATO	RETTIFICATO	RETTIFICATO GRIP	RETTIFICATO	RETTIFICATO	RETTIFICATO
$\frac{80 \times 80}{32'' \times 32''}$ 65	$\frac{60 \times 120}{24'' \times 48''}$ 66	$\frac{60 \times 60}{24'' \times 24''}$ 54 55	$\frac{30 \times 60}{12'' \times 24''}$ 51	$\frac{15 \times 60}{6'' \times 24''}$ 66	$\frac{7.4 \times 30}{3'' \times 12''}$ 65

				
CHEVRON	MOSAICO 36 tessere tessera 5 x 5	HEXAGON	PLANK	RETTIFICATO 2thick 20 mm
$\frac{12 \times 53}{423/32'' \times 21''}$ 85	$\frac{30 \times 30}{12'' \times 12''}$ 115	$\frac{25 \times 34}{10'' \times 13''}$ 34	$\frac{30 \times 60}{12'' \times 24''}$ 29	$\frac{60 \times 120}{24'' \times 48''}$ 96

2THICK _ 20 MM

tutte le informazioni riguardanti i pezzi speciali, soluzioni di layout e caratteristiche tecniche sono presenti nel catalogo 2thick
for all informations concerning special pcs, laying solutions and technical features please refers to the 2thick catalogue
pour toute information sur: pieces speciales, proposition pour la pose et les caracteristiques techniques voir catalogue 2thick collection
fuer weitere Informationen bzgl. Sonderstuecke, Verlegung und technische Daten finden Sie in unserem Katalog 2Thicks

PEZZI SPECIALI - SPECIAL ITEMS

		
BATTISCOPA SMALTATO RETTIFICATO	BATTISCOPA SMALTATO RETTIFICATO	ELEMENTO A L RETTIFICATO GRIP
$\frac{7 \times 60}{23/4'' \times 24''}$ 15	$\frac{9.5 \times 80}{4'' \times 32''}$ 22	$\frac{30 \times 60 \times 5}{12'' \times 24'' \times 2''}$ 49 50
		
GRADONE COSTA RETTA RETTIFICATO GRIP	GRADONE ANGOLARE COSTA RETTA RETTIFICATO GRIP	GRADINO RETTIFICATO GRIP
$\frac{30 \times 60 \times 4}{12'' \times 24'' \times 12/3''}$ 115 118	$\frac{30 \times 30 \times 4}{12'' \times 12'' \times 12/3''}$ 118 120	$\frac{30 \times 60}{12'' \times 24''}$ 33 34
GRADONE COSTA RETTA RETTIFICATO	GRADONE ANGOLARE COSTA RETTA RETTIFICATO	
$\frac{60 \times 120 \times 4}{24'' \times 48'' \times 12/3''}$ 170	$\frac{60 \times 120 \times 4}{24'' \times 48'' \times 12/3''}$ 180	

CARATTERISTICHE TECNICHE - TECHNICAL FEATURES



	standards	characteristics or properties	declared values
	ISO 10545-3	assorbimento d'acqua water absorption	< 0.5%
	ISO 10545-4	resistenza alla flessione breaking strength	35 N/mm ²
	ISO 10545-13	resistenza agli acidi resistance to acid	GLA
	ISO 10545-12	resistenza al gelo frost resistance	resiste frost proof
	ISO 10545-14	resistenza alle macchie stain resistance	4
	ISO 10545-2	planarità surface flatness	± 0.5%
	ISO 10545-2	spessore thickness	9 mm
	DIN51097 DIN51130 ANSI A 137.1 DCOF BOT 3000 E	coefficiente d'attrito (scivolosità) dynamic coefficient of friction	A R10 > 0.42
	DIN51097 DIN51130 ANSI A 137.1 DCOF BOT 3000 E	coefficiente d'attrito (scivolosità) dynamic coefficient of friction	A+B+C R11 > 0.42
		variazioni cromatiche color shade variations	V3 variazione moderata V3 moderate variation
	ISO 10545-2	ortogonalità orthogonality	± 0.6%

IMBALLI - PACKING

cm	inch		spessore thickness	pezzi/sc pcs/box	mq/sc sqm/box	kg/sc kgs/box	sc/pl box/pal	mq/pl sqm/pal	kg/pl kgs/pal
60x120	24"x48"	2thick_20mm rettificato	20	1	0.72	32.25	30	21.60	967.50
60x120	24"x48"	rettificato	9	2	1.44	32.28	30	43.20	968.40
60x60	24"x24"	rettificato grip	9	3	1.08	24.46	40	43.20	978.40
30x60	12"x24"	rettificato	9	6	1.08	24.33	40	43.20	973.20
15x60	6"x24"	rettificato	9	11	0.99	21.35	48	47.52	1024.80
80x80	32"x32"	rettificato	9	2	1.28	26.27	40	51.20	1050.80
12x53	423/32"x21"	chevron	9	12	0.76	16.50	48	36.48	792.00
7.4x30	3"x12"	rettificato	9	40	0.88	19.50	60	52.80	1170.00
30x30	12"x12"	mosaico		11	0.99	21.00	36	35.64	756.00
30x60	12"x24"	plank		5		20.00			
25x34	10"x13"	hexagon		6		12.00			
7x60	23/4"x24"	battiscopa smaltato rettificato		12		11.16			
9.5x80	4"x32"	battiscopa smaltato rettificato		8		14.24			
30x60	12"x24"	gradino rettificato grip		8		31.60			
30x60x4	12"x24"x12/3"	gradone costa retta rettificato grip		4		19.40			
60x120x4	24"x48"x12/3"	gradone costa retta rettificato		1		34.80			
30x30x4	12"x12"x12/3"	gradone angolare costa retta grip		2		4.40			
60x120x4	24"x48"x12/3"	gradone angolare costa retta		1		18.20			
30x60x5	12"x24"x2"	elemento a L grip		4		17.20			

FUGHE - JOINT - JOINT - FUGE

per materiale rettificato prevedere una fuga di almeno 2 mm sul monoformato e necessariamente 3 mm sul multifformato
for rectified material, we recommend a minimum of 2 mm of grout when using one size of piece only and 3 mm for multi-size laying solutions
pour le matériel rectifié prévoir un minimum de 2mm de joint et 3mm pour la pose multifformat
fuer retifiziertes material-monoverlegung wollen sie bitte eine fuge von 2 mm vorsehen – fuer modulverlegung eine fuge von 3 mm



about unicomstarker

Unicomstarker é da anni sinonimo di materia ceramica di altissima qualità.

Il gruppo industriale di cui é espressione, si contraddistingue per una filosofia che coniuga un forte dinamismo imprenditoriale alla costante ricerca della più evoluta avanguardia tecnologica e produttiva oltre che ad una particolare sensibilità estetica e formale.

Una sinergia che ha nominato unicomstarker a livello internazionale come un trendsetter nel mercato delle piastrelle di ceramica.

La sua costante attenzione alle ultime tendenze del design degli interni e l'ottimo andamento tecnico rende i suoi prodotti adatti per tutti i tipi di architetture, sia gli edifici residenziali o commerciali, sia per le disposizioni interne o esterne.

Unicomstarker has been recognized for years for the outstanding quality of its products.

The philosophy of the group, unicomstarker srl, is based on a dynamic business strategy combined with cutting edge technological research and a sure sense of beauty and style.

A successful synergy that has appointed unicomstarker internationally as a trendsetter in the market of ceramic tiles.

Its constant attention to the latest trends in interior design and the excellent technical performance makes its products suitable for all type of architectures, either residential or commercial buildings, for interior or exterior arrangements.



UNICOMSTARKER BRAZILIAN SLATE COLLECTION
IS A UNICOMSTARKER PROJECT

CONTACTS

UNICOM SRL
via flumendosa 7
41042 fiorano modenese
modena italy
T +39 (0)536 926011
unicomstarker.com

UNICOM STARKER SHOWROOM
via flumendosa 7
41042 fiorano modenese
modena italy
T +39 (0)536 926011



Quanto contenuto nel catalogo è indicativo e non esaustivo riguardo a grafiche, decori e colori.
The content of this catalogue is only indicative and not exhaustive in respect of graphics, decorations and colours.
Le contenu de notre catalogue concernant les decors, coloris et graphiques est indicatif.
Was im Katalog enthalten ist, ist ein Hinweis und nicht erschöpfend in Bezug auf Grafiken, Decorationen und Farben.



think
outside
the box

